







Head Office Address: No.858, Meysam 2 St, Payam Blvd, Karaj, IRAN
P.O BOX: 31991-89200 | Tel: +98(26) 3559 | Fax: +98(26)34802899
Factory Address: Bagh Falak Ave, Km 11 Bistoon Rd, Kermanshah, IRAN
P.O BOX: 67441-31933 | Tel: +98(83) 34733310-17 | Fax: +98(83)34733319

www.bistoontile.com | info@bistoontile.com

Polished Collection

Moon Blanc White Size: 600x1200mm Thickness: 9mm Body: Porcelain - White Body

Porcelain tile reinvents itself by creating a new living style in which tradition becomes a source of inspiration for a contemporary look.

Polished porcelain tiles have an additional liquid glass coating applied to their surface, which is between 5-7 microns thick. Glossy porcelain tiles are lighter and thinner than unglazed porcelain ones. Glaze quality has a bearing on the lifespan of the glossed porcelain tile. Bright glazes are denser than dark ones when fired at a high temperature. Polished porcelain tile, which has an additional layer of glass on it, is one of the most moisture-resistant goods. Porcelain tiles with a high sheen and low porosity are common.



Porcelain | Different color | Rectified | Anti Slip | White Body



Effect: Nano Polished Size: 600x1200mm Thickness: 9mm Faces: 8

Moon Blanc White

pristine collection for mesmerizing designs

Marble tile with it unique properties and characteristics is a kind of metamorphic rock that is available in many colors. This stone is resistant to heat, cold and rain. This stone is a very popular stone, which is now very much used. Pure marble is completely white. Because of its special beauty, marble has always been used in sculpture, construction works, and decorations.

Technical Information

Working Size	600x1200mm
Nominal Size	600x1200mm
Approximate Area	1.44m²
Number of Tile in Each Carton	2
Type of Use	Indoor Floor
Chemical Resistance	GLB - GB
Resistance to Stain	Class 3
Carton Weight	30Kg
Construction Method	Dry Pressing
Surface Type	Glaze (GL)
Thickness	9 +- 0.5
Water Absorption	BII _a
Absorption Class	2

Packing List

Pa ll et specifications	1100x1100 mm
Pcs/Box	2
M²/Box (m²)	1.44
Kg/Box (kg)	30
Box/Pallet	67
M²/Pallet (m²)	96.48
Kg/Pallet (kg)	1950-2000
 Kg/M² (kg)	20
Kg/Pcs (kg)	14.75
Pallet Dimensions (m³)	110.110.134
Thick/Pcs (mm)	9 +- 0.5
Pallet/Truck	13-14

Family Is a Value

www.bistoontile.com

Follow "Bistoon Tile" Social Networks

