







Head Office Address: No.858, Meysam 2 St, Payam Blvd, Karaj, IRAN
P.O BOX: 31991-89200 | Tel: +98(26) 3559 | Fax: +98(26)34802899
Factory Address: Bagh Falak Ave, Km 11 Bistoon Rd, Kermanshah, IRAN
P.O BOX: 67441-31933 | Tel: +98(83) 34733310-17 | Fax: +98(83)34733319


Matt Collection

Odesa Light Cream Size: 1010x1010mm Thickness: 10mm Body: Porcelain- White Body

Porcelain tile reinvents itself by creating a new living style in which tradition becomes a source of inspiration for a contemporary look.

The matt porcelain tiles are the good option for house use. The matt porcelain tiles provide more friction, so it could reduce the possibility of slippery accident happening. According to this feature, it also be the best tile for bathroom floor and other wet areas. A sophisticated range of colors combined with a rich assortment of sizes. The collection of matt porcelain tiles that can inspire a wide variety of home design ideas and provide unique, welcoming visual impact. Antique and modern, natural and honed. The tactile surface, with its many subtle variations, offers the pleasure of choosing from two expressions. On these surfaces of History Collection, we can rediscover the values of the craftsmanship of yesteryear and the signs left by time passing. In-essence embodies this legacy and transfers it to us with refreshing spontaneity. It is generally used indoors, but can also be chosen for outdoor locations.





Effect: Matt Glaze Size: 1010x1010mm Thickness: 10mm Faces: 7

Odesa Light Cream

pristine collection for mesmerizing designs

Cream tiles freshen up tired floor spaces around the house and bring warmth to larger rooms. Choose from buttery cream shades or bright vanillas to achieve the perfect match with the rest of your home.

Technical Information

Working Size	1010x1010 mm
Nominal Size	1000x1000 mm
Approximate Area	$2.04{\rm m}^2$
Number of Tile in Each Carton	2
Type of Use	Indoor Floor
Chemical Resistance	GLB-GB
Resistance to Stain	Class 3
Carton Weight	46 Kg
Construction Method	Dry Pressing
Surface Type	Glaze (GL)
Thickness	10 +- 0.5
Water Absorption	BIL
Absorption Class	1
Absorption Class	1

Packing List

Pallet specifications	1100x1100 mm
Pcs/Box	2
M ² /Box (m ²)	2.04
Kg/Box (kg)	46
Box/Pallet	41
M²/Pallet (m²)	83.64
Kg/Pallet (kg)	1930
 Kg/M² (kg)	21.5-22.5
Kg/Pcs (kg)	22-23
Pallet Dimensions (m³)	110 110 114
Thick/Pcs (mm)	10 +- 05
Pallet/Truck	13

Family Is a Value

www.bistoontile.com

Follow "Bistoon Tile" Social Networks

