

**BISTOON<sup>®</sup>**  
TILE  
INDUSTRIES



Head Office Address: No.858, Meysam 2 St, Payam Blvd, Karaj, IRAN

P.O BOX: 31991-89200 | Tel: +98(26) 3559 | Fax: +98(26)34802899

Factory Address: Bagh Falak Ave, Km 11 Bistoon Rd, Kermanshah, IRAN

P.O BOX: 67441-31933 | Tel: +98(83) 34733310-17 | Fax: +98(83)34733319

[www.bistoontile.com](http://www.bistoontile.com) | [info@bistoontile.com](mailto:info@bistoontile.com)

# Polished Collection

Versailles Black

Size: 600x1200mm

Thickness: 9mm

Body: Porcelain - White Body





Porcelain tile reinvents itself by creating a new living style in which tradition becomes a source of inspiration for a contemporary look.

Polished porcelain tiles have an additional liquid glass coating applied to their surface, which is between 5-7 microns thick. Glossy porcelain tiles are lighter and thinner than unglazed porcelain ones. Glaze quality has a bearing on the lifespan of the glossed porcelain tile. Bright glazes are denser than dark ones when fired at a high temperature. Polished porcelain tile, which has an additional layer of glass on it, is one of the most moisture-resistant goods. Porcelain tiles with a high sheen and low porosity are common.

/ VERSAILLES



Porcelain | Different color | Rectified | Anti Slip | White Body



Effect: Nano Polished  
Size: 600x1200mm  
Thickness: 9mm  
Faces: 6

## Versailles Black

### pristine collection for mesmerizing designs

---

Black is absence of color; however, black tiles imbue the floor on which they are laid with a considerable character. Black is obtained through a careful mix of pigments each one absorbing a characteristic wavelength, and thus retain great deepness. A black floor attracts attention, arouses interest and it is the paramount color for sophisticated contemporary houses.

#### Technical Information

Working Size	600x1200mm
Nominal Size	600x1200mm
Approximate Area	1.44m <sup>2</sup>
Number of Tile in Each Carton	2
Type of Use	Indoor Floor
Chemical Resistance	GLB- GB
Resistance to Stain	Class 3
Carton Weight	30Kg
Construction Method	Dry Pressing
Surface Type	Glaze ( GL)
Thickness	9 +- 0.5
Water Absorption	BI <sub>0</sub>
Absorption Class	2

#### Packing List

Pallet specifications	1100x1100 mm
Pcs/Box	2
M <sup>2</sup> /Box (m <sup>2</sup> )	1.44
Kg/Box (kg)	30
Box/Pallet	67
M <sup>2</sup> /Pallet (m <sup>2</sup> )	96.48
Kg/Pallet (kg)	1950-2000
Kg/M <sup>2</sup> (kg)	20
Kg/Pcs (kg)	14.75
Pallet Dimensions (m <sup>3</sup> )	110.110.134
Thick/Pcs (mm)	9 +- 0.5
Pallet/Truck	13-14

Family Is a Value

---

[www.bistoontile.com](http://www.bistoontile.com)

Follow "Bistoon Tile" Social Networks

