



**BISTOON<sup>®</sup>**  
TILE  
INDUSTRIES



Head Office Address: No.858, Meysam 2 St, Payam Blvd, Karaj, IRAN

P.O BOX: 31991-89200 | Tel: +98(26) 3559 | Fax: +98(26)34802899

Factory Address: Bagh Falak Ave, Km 11 Bistoon Rd, Kermanshah, IRAN

P.O BOX: 67441-31933 | Tel: +98(83) 34733310-17 | Fax: +98(83)34733319

[www.bistoontile.com](http://www.bistoontile.com) | [info@bistoontile.com](mailto:info@bistoontile.com)

# Polished Collection

Anadia Light Gray

Size: 600x1200mm

Thickness: 9mm

Body: Porcelain - White Body

Porcelain tile reinvents itself by creating a new living style in which tradition becomes a source of inspiration for a contemporary look.

Polished porcelain tiles have an additional liquid glass coating applied to their surface, which is between 5-7 microns thick. Glossy porcelain tiles are lighter and thinner than unglazed porcelain ones. Glaze quality has a bearing on the lifespan of the glossed porcelain tile. Bright glazes are denser than dark ones when fired at a high temperature. Polished porcelain tile, which has an additional layer of glass on it, is one of the most moisture-resistant goods. Porcelain tiles with a high sheen and low porosity are common.

/ ANADIA



Porcelain | Different color | Rectified | Anti Slip | White Body



Effect: Nano Polished  
Size: 600x1200mm  
Thickness: 9mm  
Faces: 5





## Anadia Light Gray

### pristine collection for mesmerizing designs

---

Gray color is from the group of neutral colors, the use of this color will make the eyes and nerves not get tired and blame, in fact the simplicity of the Nest design along with the gray color of its background will enhance the beauty of your home.

#### Technical Information

Working Size	600x1200mm
Nominal Size	600x1200mm
Approximate Area	1.44m <sup>2</sup>
Number of Tile in Each Carton	2
Type of Use	Indoor Floor
Chemical Resistance	GLB- GB
Resistance to Stain	Class 3
Carton Weight	30Kg
Construction Method	Dry Pressing
Surface Type	Glaze ( GL)
Thickness	9 +- 0.5
Water Absorption	BI <sub>0</sub>
Absorption Class	2

#### Packing List

Pallet specifications	1100x1100 mm
Pcs/Box	2
M <sup>2</sup> /Box (m <sup>2</sup> )	1.44
Kg/Box (kg)	30
Box/Pallet	67
M <sup>2</sup> /Pallet (m <sup>2</sup> )	96.48
Kg/Pallet (kg)	1950-2000
Kg/M <sup>2</sup> (kg)	20
Kg/Pcs (kg)	14.75
Pallet Dimensions (m <sup>3</sup> )	110.110.134
Thick/Pcs (mm)	9 +- 0.5
Pallet/Truck	13-14

Family Is a Value

---

[www.bistoontile.com](http://www.bistoontile.com)

Follow "Bistoon Tile" Social Networks

